



**Control the Experience.**  
***Full Line Catalog***

<b>Network System Products</b>	●	●	●	●	●	●	●	●	●	●
<b>Color LCD Remote Controls</b>	●	●	●	●	●	●	●	●	●	●
<b>Text Based Remote Controls</b>	●	●	●	●	●	●	●	●	●	●
<b>Barrier-Free Control</b>	●	●	●	●	●	●	●	●	●	●
<b>RF Base Stations/Controller</b>	●	●	●	●	●	●	●	●	●	●
<b>i-Series Explained</b>	●	●	●	●	●	●	●	●	●	●
<b>Consumer/DIY</b>	●	●	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	●	●	●	●
<b>Sources &amp; Amps</b>	●	●	●	●	●	●	●	●	●	●
<b>Remotes &amp; System Controllers</b>	●	●	●	●	●	●	●	●	●	●
<b>Cameras &amp; In-Wall Touchscreens</b>	●	●	●	●	●	●	●	●	●	●
<b>Terms &amp; Conditions</b>	●	●	●	●	●	●	●	●	●	●



## **MX-6000** 2-way Tablet-style Touchscreen Color LCD WiFi IR/RF Remote Control

Accesses metadata from devices such as iPods, PCs and other media servers ● Dual RF transmitters (802.11 b/g WiFi for network control plus instant Narrow Band RF for traditional control) ● PC programmable, fully customizable GUI on Large (4.3") color LCD touchscreen ● PC programmable hard buttons, plus traditional controls and scroll wheel ● IP and RS-232 control of many popular IP-based components via pre-programmed modules.

UPC: 656787-260009 Master Carton: 6 units  
MX-6000i UPC: 656787-260016

## **MX-5000** 2-way Wand-style Touchscreen Color LCD WiFi IR/RF Remote Control

Major features of MX-6000 including IP control of many popular IP-based components ● Vibrating ("haptic") feedback confirms touch screen button selections ● PC programmable, fully customizable GUI on Large (2.8") color LCD touch screen ● Integrates IP cameras, lighting (Lutron), HVAC and Windows Media PC ● Ingeniously engineered ergonomic design for convenient, one-hand operation.



UPC: 656787-205000  
Master Carton: 9 units

## **KP-4000** 2-way In-wall Network Touchscreen for IP and RS-232 Control

2-way IP and RS-232 control of A/V components ● Pre-built modules for IP thermostats, IP cameras, and more ● Whole house lighting control via RFTX-1 and URC Lighting products ● LAN programming (no USB needed) ● RSS-like Information feeds.



UPC: 656787-440005 Master Carton: 18 units

*MX-6000, MX-5000 and KP-4000 are not compatible with Total Control products.*



UPC: 656787-622128 Master Carton: 10 units

## PSX-2 Personal A/V Server with on Screen GUI for iPod Source

2-way on screen content browsing and selection with cover art ● Hundreds of discrete IR commands that enable "one touch to music" programming (e.g., one touch to "Sinatra")  
● Advanced alpha search features get users to the music faster, and shortcuts make navigation to favorite music much easier ● TV screensaver displays cover art, artist & track info ● "Play more from..." any Artist, Genre, Album significantly expands and automates operation of iPod.

## MRX-1 Network Base Station for 2-way RS-232 Control via IP and IR

2-way IP and 2-way RS-232 control ● Enables execution of Macros based on device status; Track on/off status via video/ voltage sensor ● One-way control via IP and IR (IP in IR out) Whole-house URC Lighting control via RFTX-1 ● One LAN connection, one Relay, two RS-232, six IR ports, one Sensor port ● Use as sub-base station with MRX-10.



UPC: 656787-300026 Master Carton: 9 units

## PoE-1 PoE Injector



UPC: None  
Master Carton: 1 unit

## RFTX-1 Narrow Band Transmitter for IP or "Z" Base Stations and KP-4000

Controls URC Lighting Control products ● Narrow Band RF transmitter for IP stations (such as MRZ-260) ● RF frequency select switch (418MHz or 433MHz) ● Power and interference (RFI) indicator LEDs Includes wall mount and 10' connecting cable.



UPC: 656787-30019 Master Carton: 18 units



### **MX-980** Wand-style IR/RF PC Programmable Hard Button Remote Control with Color LCD

Convenience and functionality of URC's leading MX-3000 in a wand-style form factor ● 12 pre-labeled installable hard buttons (i.e., Main, Lighting) for the ultimate in customization ● Multi-user, multi-room programming via CCP (Universal programming platform) ● Brilliant 2.4" color LCD with 8 hard buttons ● Includes rechargeable Li-Ion battery & charger base.g

UPC: 656787-209800  
Master Carton: 9 units  
MX-980i UPC:  
656787-298019

### **MX-880** Wand-style IR/RF PC Programmable Hard Button Remote Control with Color LCD

IR Routing and RF addressing with optional MRF series RF base station ● Control up to 48 devices with up to 8 pages each ● PC programmable—use variables to track power status, users, etc. ● Color LCD is populated with colorful backgrounds and icons automatically ● Motion sensor detects movement and activates backlighting feature.



UPC: 656787-208803  
Master Carton: 18 units  
MX-880i UPC:  
656787-288010



# MX-3000 **Tablet-style PC Programmable Touch Screen Color LCD IR/RF Remote Control**



Addressable RF ● Color graphic touch screen and hard button interface with optional audio feedback ● Supports up to 255 devices, and supports up to 255 pages per device ● Stylish design with rich black finish ● Includes rechargeable Li-Ion battery and charger base

UPC: 656787-223004 Master Carton: 8 units  
MX-3000i UPC: 656787-230019

# MX-810i **Wand-style IR/RF PC Programmable Hard Button Remote Control with Color LCD**

IR Routing and RF addressing with optional MRF series RF base station ● Control up to 24 devices with up to 8 pages each ● PC programmable—use variables to track power status, users, etc. ● Color LCD is populated with colorful backgrounds and icons automatically ● Motion sensor detects movement and activates backlighting feature.

*Limited Availability & Only in 433MHz*



UPC: 656787-281011  
Master Carton: 18 units



UPC: 656787-204508  
Master Carton: 18 units

# MX-450 **Wand-style IR/RF Stand-Alone (non-PC Programmable) Hard Button Remote Control with Color LCD**

Bright 2" color LCD with color graphics ● No PC or Internet connection required for programming; on-screen macro editing and easy-to-follow set-up ● Built-in pre-programmed database can be updated via USB port ● Simple-to-use Archiving Software for saving customer files and reusing work in future projects ● Most affordable UIRC color LCD remote control.

## Text Based Remote Controls



UPC: 656787-208506  
Master Carton: 15 units

### **MX-850** Gives you the Freedom to Enjoy Your Music and Videos without Boundaries

Replace up to 20 remotes ● Superior ergonomic design and button layout optimized for your ease of use ● Ability to automate even the most complex system operation ● IR and RF operation ● The ability to automate any component anywhere in the house is just a button push away ● Sensible labels that your installer customizes.g

### **MX-350** Replaces of up to 10 Remote Controls

Control up to 10 devices with up to 5 pages each ● Provides a time-proven, convenient user interface ● Single button "Macro" automation that makes several devices work together with one simple button press ● Balanced ergonomics facilitate intuitive, one-handed operation ● Optimized button layout to quickly navigate on-screen menus, channel and volume controls ● In conjunction with one of our wireless (RF) base stations, you have complete control through walls, floors and doors, indoors or outdoors with this IR/RF Remote Control.



UPC: 656787-203501  
Master Carton: 15 units





## MX-900 Our Passport to Intuitive Control and Home Automation

Brilliant blue backlighting illuminates controls clearly even in the darkest A/V environments ● Virtually unlimited memory of the MX-900 opens limitless possibilities ● Superior ergonomic design and button layout optimized for your ease of use ● Experience the freedom of control wherever and whenever you want with this IR/RF Remote Control.

## KP-900 Wireless Keypad IR/RF Remote Control

No-holes mounting; Can be mounted on any surface ● Perfect for retrofit (no wiring required) ● Backlit buttons and bright LCD ● Can be used as handheld remote control ● Available in White, Black and Light Almond.



UPC: 656787-409002 (white)  
UPC: 656787-490017 (light almond)  
UPC: 656787-490024 (black)  
Master Carton: 8 units

UPC: 656787-209008 Master  
Carton: 18 units  
MX-900i UPC: 656787-229006

## Barrier-Free Control

## MX-880z Wand-style IR and RF Hard Button Remote Control with Color LCD

Barrier-Free control RF prevents RF collision caused by simultaneous button press ● IR Routing and RF addressing with optional MRZ series base station ● Control up to 48 devices with up to 8 pages each ● PC programmable—use variables to track power status, users, etc. ● Motion sensor detects movement and activates backlighting feature.

UPC: 656787-288027  
Master Carton: 18 units



## MRZ-260 RF to IR Base Station

Assure that your remote will not experience any interference from other remotes nearby ● No more pointing, because RF passes harmlessly through walls, doors and floors ● Operates like four separate base stations ● Turn off all of the TVs in the house with a single button press.

UPC: 656787-326026 Master Carton: 15 units



## RF Base Stations/Controller

# MSC-400 Master System Controller

Control components via IR, RS-232, Relays ● Stores macros which are triggered by URC remotes for rock-solid reliability ● Track on/off status via video and voltage sensors ● Ultra-reliable Narrow Band RF (418MHz and 433MHz options) ● PC programmable with CCP (Universal programming platform)



UPC: 656787-304000 Master Carton: 4 units MSC-400i UPC: 656787-340015

# MRF-350 RF to IR Base Station

Addressable RF Base Station with RFX-250 antenna module ● Multi-zone compatible ● Six (6) independently routed IR emitter outputs ● Built-in front panel IR blaster ● Available with 418MHz or 433MHz antenna.



UPC: 656787-350250 Master Carton: 10 units  
MRF-350i UPC: 656787-323308







## MRF-260 RF to IR Base Station

Addressable RF base station with integrated antenna ● Multi-zone compatible ● Four (4) independently routed IR emitter outputs (two adjustable and two fixed) ● Built-in front panel IR blaster ● Available with 418MHz or 433MHz antenna.g

UPC: 656787-300408 Master Carton: 18 units  
MRF-260i UPC: 656787-326019

## RFX-250

### Narrow Band RF Antenna Module

Receives radio signals from a remote control and relays them via cable back to the MSC-400 Master System Controller or MRF-350 Base Station ● RFX-250i receives RF from "i-series" remotes only.g



UPC: 656787-302521  
Master Carton: 18 units  
RFX-250i UPC: 656787-322509

# MSC-400 Accessories

Item	Description			
VID6	Video Sensor Cable for MSC-400 UPC: 656787-304017 Order in Lots of 6 only			
RS232M	RS-232 Cable with Male DB-9 for MSC-400 UPC: 656787-304093 Order in Lots of 6 only			
RS232F	RS-232 Cable with Female DB-9 for MSC-400 UPC: 656787-304024 Order in Lots of 6 only			
VS-1006	Voltage Sensor Cable for MSC-400 UPC: 656787-304086 Order in Lots of 6 only			
IR6	IR Standard Emitters for MSC-400 (Outputs 1 thru 6) UPC: 656787-304031 Order in Lots of 6 only			
IRS6	IR Sleeved Emitters for MSC-400 (Outputs 7 thru 12) UPC: 656787-304062 Order in Lots of 6 only			
USB5M	5 Meter USB Programming Cable for MSC-400 UPC: 656787-304116			
MS-01	Master Slave RS-232 Cable for MSC-400 UPC: 656787-304109			
MSC START	Starter Kit for MSC-400 includes 2-VID6, 1-RS232M, 1-RS232F, 2-VS1006, and 6-IRS (for outputs 7-12) UPC: 656787-304123			



# **URC i-Series** The Choice Between 418MHz and 433MHz

In certain areas of the country—in parts of Manhattan, for example—Radio Frequency Interference can be such a problem that it can be very difficult and time consuming to resolve it. Traditional transmission frequencies can be nearly blocked. URC now offers an alternative to 418MHz RF communication. Most of our popular remote controls and the MRF-350, MRF-260, RFX-250 antenna and MSC-400 Master System Controllers are now available in 433MHz versions as well as 418MHz.

Initially designed for the European market where 418MHz is no longer allowed, the International models have been designated the “i-series.” All of the 433MHz products have the letter “i” added to their name, as in MSC-400i or MX-3000i. It’s important to point out that you cannot mix 418MHz remotes and 433MHz remotes in the same installation unless you use both an RFX-250 and an RFX-250i antenna on an MSC-400 Master System Controller.



**MX-900i**  
*(See page 7)*



**MX-980i**  
*(See page 4)*



**MX-880i**  
*(See page 4)*



**MX-6000i** *(See page 2)*



**MX-3000i**  
*(See page 5)*



**MRF-350i**  
*(See page 8)*



**MRF-260i**  
*(See page 9)*



**KP-900i**  
*(See page 7)*



**MX-810i**  
*(See page 5)*



**MSC-400i**  
*(See page 8)*



**RFX-250i**  
*(See page 9)*



# SNP-1 Streaming Network Player

Streaming output via 44kHz streams to Total Control amplifiers ● Pandora, Rhapsody, Sirius/XM, internet radio and other services onboard ● Plays all music on network PCs, Macs or network hard drives ● Analog outputs for compatibility with other brand systems ● Full 2-Way communication on all Total Control remotes via MRX-10 network system controller ● IR input extends compatibility to any URC remote or base station ● On screen GUI provides metadata and control environment ● Can be programmed off premises via the internet and MRX-10 ● Easy rack-mounting.



UPC: 656787-330016 Master Carton: 4 units

### Rack Mount Ears Not Included


**RMK-3 RackMount Ears for DMS-1200i** UPC: 656787-31201

**RMK-1 Rack Mount Ears (all others)i** UPC: 656787-31202



# DMS-1200 Multi-Zone Network Amplifier

Eight (8) zones ● 50 watts per channel for zones 1 through 6; preamp only for zones 7 and 8 ● Expandable up to 32 zones ● Four (4) Analog-to-Digital inputs that stream to other DMS amps ● Can be programmed off premises via the internet and MRX-10g ● Easy rack-mounting.



UPC: 656787-312005 Master Carton: 1 unit

# DMS-100 Single Zone Network Amplifier

50 watts per channel amplifier for speakers ● Preamp output for connection to local amp or receiver ● One (1) audio input streams to other Total Control amplifiers ● Scalable solution; install as additional zones with a DMS-1200 system, or install multiple DMS-100s to create customized multi-zone system ● Can be programmed off premises via the internet and MRX-10 ● Easy rack-mounting.



UPC: 656787-311008 Master Carton: 4 units

# PSX-2 Personal A/V Server with on Screen GUI for iPod Source

2-way on screen content browsing and selection with cover art ● Hundreds of discrete IR commands that enable "one touch to music" programming (e.g., one touch to "Sinatra") ● Advanced alpha search features get users to the music faster, and shortcuts make navigation to favorite music much easier ● TV screensaver displays cover art, artist & track info ● "Play more from..." any Artist, Genre or Album significantly expands and automates operation of iPod.



UPC: 656787-622128 Master Carton: 10 units



UPC: TBA  
Master Carton: TBA

## **TRC-1280** Wand-style 2-way Text Feedback on a Dazzling Color OLED Interface

Large 2.8" color touchscreen ● 2-Way InstantWiFi with graphic feedback using MRX-10 Network System Controller ● Can be programmed off premises via the internet ● Includes rechargeable Lithium Ion battery and charger base ● Requires compatible MRX-10 network system controller.



UPC: 656787-200807  
Master Carton: 18 units

## **TRC-780** Wand-style 2-way Text Feedback on a Dazzling Color OLED Interface

Color OLED hard button interface ● Provides 2-Way communication with MRX-10 Network System Controller ● Can be programmed off premises via the internet ● Requires compatible MRX-10 network system controller.





UPC: 656787-320017  
Master Carton: 18 units

## ZR-1 TRC-780 Transceiver/Repeater

Transmits and receives 2-way communications from TRC-780 remotes and relays them to the MRX-10 ● Acts as a range extender for TRC-780 remotes ● Includes Power Supply

## MRX-10 Advanced Network System Controller

Stores and issues commands and macros for all IP, IR, RS-232, Relay and Sensor controlled devices in one system ● Provides 2-Way communication with Total Control remotes and keypads ● Expandable via LAN and MRX-series sub-base stations ● Routes macro steps to IR, RS-232, Relays and Sensors to multiple MRX-1s on the network ● Ports include IR (8), RS-232 (4), Sensor (4), Relay (2), 12-volt output (2) ● Compatible with optional RFTX-1 RF Transmitter ● Can be programmed off premises via the internet ● Easy rack-mounting.



UPC: 656787-320109 Master Carton: 4 units

## MRX-1 Network Base Station for 2-way RS-232 Control via IP and IR

2-way IP and 2-way RS-232 control ● Enables execution of Macros based on device status; Track on/off status via video/ voltage sensor ● One-way control via IP and IR (IP in IR out) ● Whole-house URC Lighting control via RFTX-1g ● One LAN connection, one Relay, two RS-232, six IR ports, one Sensor portg ● Use as sub-base station with MRX-10.



UPC: 656787-300026 Master Carton: 9 units

## **MC-73CB** CCD Box-type IP Camera

Super HAD CCD sensor, D1 (720x480) resolution at 30 fps ● Useable at 0.3 Lux (color) 0.002 Lux (mono).



UPC: 656787-700734  
Master Carton: 6 units

## **MC-75CD** CCD Dome-type IP Camera

Super HAD CCD sensor, D1 (720x480) resolution at 30 fps ● Vandal-proof and weatherproof dome included ● Useable at 0.3 Lux (color) 0.002 Lux (mono).



UPC: 656787-700758  
Master Carton: 6 units



## **MC-70VC** VGA CMOS IP Camera

Live video up to 30 fps @ VGA resolution ● CMOS sensor  
● 4-10,000 Lux operation.



UPC: 656787-700703  
Master Carton: 12 units

### **All Models Feature:**

Viewable on MX-6000, TKP-2000 and KP-4000  
● H.264/MJPEG dual encoding and transmission  
● Simultaneous dual streaming ● 2-way audio communication ● Optional WiFi dongle.





UPC: TBA Master Carton: TBA

## TKP-2000 In-wall 2-way Total Control Series Network Touchscreen

In-wall PoE (Power over Ethernet) ● 3.5" color touchscreen ● Installs in standard two-gang wall boxes (not included) ● Backlit buttons that turn On and Off with power ● 1-Ethernet RJ45 Port for connection to the local network ● Provides 2-way communication with MRX-10 Network System Controller ● Can be programmed off premises via the internet ● Connect to a PoE Switch via RJ-45 port.

## MFSPOE-8 MAC Filtering Network Switch

Eight (8) POE (Power-Over-Ethernet) ports plus one LAN port ● Smart POE ports support keypads, cameras, etc.; also compatible with non-POE devices ● MAC filtering prevents video or audio streams from consuming network bandwidth ● Activity and Status LEDs plus Connectivity indicator ● Includes 48 volt power supply.



UPC: 656787-300187 Master Carton: 9 units

## MFS-8 MAC Filtering Network Switch

Eight (8) ports plus one LAN port ● MAC filtering prevents audio streams from consuming network bandwidth ● Activity and Status LEDs plus Connectivity indicator ● Includes 12 volt power supply.



UPC: 656787-300088 Master Carton: 9 units

## TKP-100 In-wall Keypad with Hard Buttons

Seven (7) button POE network keypad ● Backlit buttons with status indication ● Installs in standard single-gang box ● Includes interchangeable button sets for URC music control and URC lighting control ● Custom buttons available ● Cover plates are not included (accepts standard Decora® plates).



UPC: 656787 401006  
Master Carton: 18 units

## PoE-1f PoE Injectori